
MATERIAL SAFETY DATA SHEET ROOFING PRODUCTS INTERNATIONAL, INC. MSDS 305 ROYAL EDGE TPO PIPE BOOT HW (Heat Weld)



SECTION 1 – PRODUCT IDENTIFICATION								
Product Name: RPI Royal Edge TPO PIPE BOOT HW			24 Hour Emergency Telephone Number: 800-424-9300 CHEMTREC					
Chemical Name/Synonyms: Product Code: Thermo Plastic Olifin TPB			Manufacturer's Name: Roofing Products International, Inc.					
Chemical Family: Mixture			Manufacturer's Address: 57460 Dewitt St., Elkhart, IN 46517-1078					
Chemical Formula: N/A			NFPA Acute Hazard Rating: Health 0, Flammability 0, Reactivity 0 HMIS Acute Hazard Rating: Health 0, Flammability 0, Reactivity 0					
SECTION 2 – CHEMICAL COMPOSITION								
Ingredient Components (chemical names) Hazardous Components 1% or greater; Carcinogens 0.1% or greater:		% wt or % vol	Case No.	% wt or % vol	OSHA STEL	OSHA PEL ACGIH	ACGIH TLV	
Solids (by weight) Non-Hazardous Ingredients		100						
Total		100						
There are no recognized hazards associated with normal use of this product.								
SECTION 3 – PHYSICAL & CHEMICAL CHARACTERISTICS								
Appearance/Odor: White solid with no odor.		Physical State: Solid			Solubility in Water: Insoluble			
Boiling Point: N/A		Specific Gravity (HO=1) 0.90-1.20		Melting Point: 350 °F				
Vapor Pressure: N/A		Vapor Density (Air=1) N/A		Freezing Point: N/A				
Percent Volatiles: Evaporation Rate: N/A N/A			No					
pH (Full Strength) N/A		pH (Recommended Dilution): N/A			Refraction Index: N/A			

SECTION 4- FIRE & EXI	PLOSION HAZARD DATA				
Flash Point:	Flammable Limits (in air):				
N/A	LEL: N/A UEL: N/A				
Extinguishing Media:	Fire Fighting Procedures:				
	Firefighters should wear full protective clothing including				
Dry chemical and CO ² can also be used.	self-contained breathing apparatus to prevent inhalation of				
	smoke and decomposition products.				
Hazardous Decomposition Products:	Special Fire & Explosion Hazards: None				
In the event of combustion, carbon dioxide, smoke, methane,	None				
propane, and other decomposition products may be released.					
Method Used:	Auto-Ignition Temperature:				
Estimate based on flash point of most volatile component.	600-770°F				
SECTION- 5 HEAL	TH HAZARD DATA				
Permissible Exposure Limit:	Signs and Symptoms of Exposure:				
N/A	Under normal conditions of use, this product will not release				
Effects of Overexposure:	or otherwise result in exposure to hazardous chemicals.				
Toxic fumes may be released during fire. Exposure to fumes					
may aggravate pre-existing eye, lung, and skin conditions.					
Acute:	Carcinogenicity:				
N/A	IARC, NTP, and OSHA do not list this product as a				
Chronic: N/A	carcinogen.				
Emergency & First Aid Procedures:					
Eye Contact:					
Can cause irritation, redness, tearing, blurred vision.					
Skin Contact:					
Not normally hazardous Inhalation:					
Not normally hazardous unless at elevated temperatures. Remo	ove to fresh air.				
Ingestion:					
Induce vomiting. Consult a Physician					
Primary Route of Entry:					
None					
SECTION 6 – REACTIVITY DATA					
Stability:	Incompatibility:				
Stable	None				
Hazardous Decomposition Products: Carbon monoxide, methane, propane, aldehydes and other	Hazardous Polymerization:				
· · · · · · · · · · · · · · · · · · ·	Will not occur				
organic matter may be released during a fire. Conditions to Avoid:					
Conditions to Avoid: N/A					
SECTION 7 - SPILL O	R LEAK PROCEDURES				
Steps to be taken in case material is released or spilled:					
Small spill:					
Scoop or shovel material into sealed containers.					
Large Spill:					

Large Spill: **Same as small spill**.

Waste Disposal Method:

If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under RCRA 40CFR261. Dispose of in accordance with local, state, and federal regulations.

SECTION 8 – SPECIAL PROTECTION				
Respiratory Protection:	Eye Protection:			
NA	Safety glasses with side shields recommended.			
Protective Gloves:	Other Protective Equipment:			
Not Required	None required under normal installation conditions.			
Ventilation:				
No respirator needed.				

SECTION 9 – SPECIAL PRECAUTIONS OR OTHER COMMENTS

Storage/Handling:

Store in cool, dry, well ventilated facility.

Other Precautions:

Store material in original shipping packaging.

Work/Hygenic Practices:

Maintain good personal hygiene practices. Product is easily removed with waterless hand cleaner followed by washing with soap and water.

SECTION 10 - TRANSPORTATION Regulatory Agency: Identification Number: Not Regulated. All components are included in the EPA Toxic Not Applicable Substance Control Act (TSCA) Chemical Substance Inventory Proper Shipping Name: Labels Required: Not Applicable Not Applicable Other Requirements: Hazard Classification: EPA SARA Title III hazard class (40CFR370): None Not Applicable EPA SARA Title III Section 313 (40CFR372): None EPA SARA Title III (40CFR355): There are no components present in this product at a level which would require reporting.

SECTION 11 – MISCELLANEOUS INFORMATION

Additional Comments:

None

Date of Previous MSDS:

October 10, 2006

Changes Since Previous MSDS:

Comment change in sections: 1 thru 9

Add sections: 10.11

Telephone Number for Additional Information:

(574) 293-9096

DISCLAIMER

The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information is accurate, complete, or representative. Roofing Products International, Inc. assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons if reasonable safety procedures are not followed.