
MATERIAL SAFETY DATA SHEET ROOFING PRODUCTS INTERNATIONAL, INC. MSDS 309 ROYAL EDGE TPO PIPE BOOT WITH TAPE

N/A



SEC'.	SECTION 1 – PRODUCT IDENTIFICATION						
Product Name: RPI Royal Edge TPO Pipe Boot With Tape		24 Hour Emergency Telephone Number: 800-424-9300 CHEMTREC					
Chemical Name/Synonyms: Product Code:		Manufacturer's	Manufacturer's Name:				
Thermo Plastic Olifin TPBWT			Roofing Products International, Inc.				
Chemical Family:		Manufacturer's Address:					
Mixture		57460 Dewitt St., Elkhart, IN 46517-1078					
Chemical Formula: N/A		NFPA Acute Hazard Rating: Health 0, Flammability 0, Reactivity 0					
IVA			HMIS Acute Hazard Rating:				
		Health 0, Flammability 0, Reactivity 0					
SECTION 2 – CHEMICAL COMPOSITION							
Ingredient Components (chemical names)	% wt or % vol	Case No.	OSHA STEL	OSHA PEL	ACGIH		
Hazardous Components 1% or greater;				ACGIH	TLV		
Carcinogens 0.1% or greater:							
Calcium Carbonate	minimal	N/A	N/A	5 mg/m3	10 mg/m3		
Titanium Dioxide	minimal	N/A	N/A	5 mg/m3	10 mg/m3		
Solids (by weight)							
Non-Hazardous Ingredients	100						
Total	100						
There are no recognized hazards associated with normal use of this product. Calcium Carbonate and Titanium Dioxide are present however, they are encapsulated in the polymer and do not neccessarily reflect the hazards of the dry chemicals.							
SECTION 3 – PHYSICAL & CHEMICAL CHARACTERISTICS							
Appearance/Odor:	Physical State:	•	Solubility in Water:				
White solid with white tacky backing, no odor.	Solid			Insoluble			
Boiling Point: N/A	Specific Gravity (HO=1) 0.90-1.20			Melting Point: 350 °F			
Vapor Pressure:	0.90-1.20 Vapor Density (Air=1)			Freezing Point:			
N/A	N/A		N/A				
Percent Volatiles:	Evaporation Rate:		Reactivity i	in Water:			
N/A	N/A		None				
pH (Full Strength)	pH (Recommended Dilution):		Refraction	Refraction Index:			

N/A

SECTION 4- FIRE & EXP	LOSION HAZARD DATA				
Flash Point:	Flammable Limits (in air):				
>200°C Extinguishing Media:	LEL: N/A UEL: N/A Fire Fighting Procedures:				
Dry chemical and CO ² can also be used.	Firefighters should wear full protective clothing including self-contained breathing apparatus to prevent inhalation of smoke and decomposition products.				
Hazardous Decomposition Products:	Special Fire & Explosion Hazards:				
In the event of combustion, carbon dioxide, smoke, methane, propane, and other decomposition products may be released.	None				
Method Used: Estimate based on flash point of most volatile component.	Auto-Ignition Temperature: 600-770°F				
SECTION- 5 HEALTH HAZARD DATA					
Permissible Exposure Limit:	Signs and Symptoms of Exposure:				
N/A	Under normal conditions of use, this product will not release				
Effects of Overexposure: Toxic fumes may be released during fire. Exposure to fumes may aggravate pre-existing eye, lung, and skin conditions.	or otherwise result in exposure to hazardous chemicals.				
Acute: N/A	Carcinogenicity:				
Chronic:	IARC, NTP, and OSHA do not list this product as a carcinogen.				
N/A					
Eye Contact: Can cause irritation, redness, tearing, blurred vision. Skin Contact: Not normally hazardous Inhalation: Not normally hazardous unless at elevated temperatures. Remo Ingestion: Induce vomiting. Consult a Physician Primary Route of Entry: None	ve to fresh air.				
SECTION 6 – REACTIVITY DATA					
Stability: Stable	Incompatibility:				
Hazardous Decomposition Products:	None Hazardous Polymerization:				
Carbon monoxide, methane, propane, aldehydes and other	Will not occur				
organic matter may be released during a fire.					
Conditions to Avoid: N/A					
SECTION 7 - SPILL O	R LEAK PROCEDURES				
Steps to be taken in case material is released or spilled: Small spill: Scoop or shovel material into sealed containers. Large Spill: Same as small spill.					

If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under RCRA 40CFR261. Dispose

of in accordance with local, state, and federal regulations.

SECTION 8 – SPECIAL PROTECTION			
Respiratory Protection: NA	Eye Protection: Safety glasses with side shields recommended.		
Protective Gloves: Not Required	Other Protective Equipment: None required under normal installation conditions.		
Ventilation: No respirator needed.			

SECTION 9 – SPECIAL PRECAUTIONS OR OTHER COMMENTS

Storage/Handling:

Store in cool, dry, well ventilated facility.

Other Precautions:

Store material in original shipping packaging.

Work/Hygenic Practices:

Maintain good personal hygiene practices. Product is easily removed with waterless hand cleaner followed by washing with soap and water.

SECTION 10 - TRANSPORTATION Identification Number: Regulatory Agency: Not Applicable Not Regulated. All components are included in the EPA Toxic Substance Control Act (TSCA) Chemical Substance Inventory Proper Shipping Name: Labels Required: **Not Applicable** Not Applicable Hazard Classification: Other Requirements: EPA SARA Title III hazard class (40CFR370): None Not Applicable EPA SARA Title III Section 313 (40CFR372): None EPA SARA Title III (40CFR355): There are no components present in this product at a level which would require reporting.

SECTION 11 – MISCELLANEOUS INFORMATION

Additional Comments:

None

Date of Previous MSDS:

October 10, 2006

Changes Since Previous MSDS:

Comment change in sections: 1 thru 9

Add sections: 10,11

Telephone Number for Additional Information:

(574) 293-9096

DISCLAIMER

The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information is accurate, complete, or representative. Roofing Products International, Inc. assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons if reasonable safety procedures are not followed.