Safety Data Sheet acc. to OSHA HCS Revision Number 2

Revision Date 01/23/2015

* Section 1. Identification

Product identifier: Walkway Pad

• Trade name: Royal Edge Walkway Pad

• Relevant identified uses of the substance or mixture: Construction

Details of the supplier of the safety data sheet Manufacturer/Supplier

Roofing Products International, Inc. 57460 Dewitt St. Elkhart, IN 46517-1078 Telephone: 1-574-293-9096 Information Department: Technical Services Department

Emergency telephone number

Chemtrec United States 1(800) 424-9300 International 703-527-3887

Section 2. Hazard(s) Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

Classification of the substance or mixture

• CLP	Skin Irritation 2 - H315 Skin Sensitization 1 - H317
• DSD/DPD	Irritant (Xi) Sensitizer R38, R43
Label Elements CLP 	
• Hazard statements	H315 - Causes skin irritation H317 - May cause an allergic skin reaction
Precautionary statements	
Precautionary statements Prevention 	P261 - Avoid breathing dust/fume. P264 - Wash thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 -Wear protective gloves/protective clothing/eye protection/face protection.
•	P264 - Wash thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace.

acc. to OSHA HCS Revision Number 2

Article Number 109 .

Page 2/17

radename: Royal Edge Walkway Po	ad Revision Date 01/2	;3/20
	(Contd. of page 1)	
• DSD/DPD		
• Risk phrases	R38 - Irritating to skin. R43 - May cause sensitisation by skin contact.	
• Safety phrases	 S24 - Avoid contact with skin. S37 - Wear suitable gloves. S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). 	
Other Hazards		
• CLP	According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.	
• DSD/DPD	According to European Directive 1999/45/EC this preparation is considered dangerous.	
United States (US)		
• According to OSHA 29 (CFR 1910.1200 HCS	
Classification of the subs	tance or mixture	
• OSHA HCS 2012	Skin Irritation 2 - H315 Skin Sensitization 1A - H317	
Label elements		
• OSHA HCS 2012		
	WARNING	
• Hazard statements	Causes skin irritation - H315 May cause an allergic skin reaction - H317	
Precautionary statements		
• Prevention	Avoid breathing dust/fume P261 Wash thoroughly after handling P264 Contaminated work clothing should not be allowed out of the workplace P272 Wear protective gloves/protective clothing/eye protection/face protection P280	I
• Response	If skin irritation occurs: Get medical advice/attention P332+P313 IF ON SKIN: Wash with plenty of soap and water P302+P352 Specific treatment, see supplemental first aid information P321 If skin irritation or rash occurs: Get medical advice/attention P333+P313 Take off contaminated clothing and wash before reuse P362	
• Storage/Disposal	Dispose of content and/or container in accordance with local, regional, national	!,
Other hazards	and/or international regulations P501	
• OSHA HCS 2012	Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.	
Canada	// 1	
• According to WHMIS		
	(Contd. on page 3)	

acc. to OSHA HCS

Article Number 109 • **Tradename:** Royal Edge Walkway Pad Revision Number 2

Revision Date 01/23/2015

(Contd. of page 2) Classification of the substance or mixture					
• WHMIS	Other Toxic Effects - D2B				
Label elements					
• WHMIS	Other Toxic Effects - D2B				
	$\overline{\mathbf{T}}$				
Other hazards					
• WHMIS	In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).				

See Section 12 for Ecological Information.

* Section 3. Composition/Information on Ingredients

• Substances

Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

Mixtures	Mixtures Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Resin	NDA	4% TO 13%	NDA	<i>EU DSD/DPD:</i> Self Classified: Xi R36/37/38 <i>EU CLP:</i> Self Classified: Eye Irrit. 2A, H319; Skin Irrit. 2, H315; STOT SE 3 - Resp., H335 <i>OSHA HCS 2012:</i> Eye Irrit. 2A; Skin Irrit. 2; STOT SE 3 - Resp.	NDA
Talc	CAS:14807-96- 6 EC Number:238- 877-9	0% TO 6%	NDA	<i>EU DSD/DPD:</i> Self Classified: Xn R48/20 <i>EU</i> <i>CLP:</i> Self Classified: STOT RE 1, H372 OSHA <i>HCS</i> 2012: STOT RE 1 (Lungs)	NDA
Calcium oxide	CAS:1305-78-8 EC Number:215- 138-9	1% TO 5%	NDA	EU DSD/DPD: Self Classified: C R34 EU CLP: Self Classified: Skin Corr. 1C, H314; Eye Dam. 1, H318 OSHA HCS 2012: Skin Corr. 1C; Eye Dam. 1	NDA
Phenol, p- (1,1,3,3- tetramethylbutyl)-	CAS:140-66-9 EINECS:205- 426-2	2% TO 4%	Skin-Rabbit LD50 1880 mg/kg Ingestion/Oral Rat LD50 > 2000 mg/kg	<i>EU DSD/DPD:</i> Annex I: Xi R38-41; N R50-53 <i>EU</i> <i>CLP:</i> Annex VI: Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 <i>OSHA HCS 2012:</i> Eye Irrit. 2A; Skin Irrit. 2; Repr. 2	NDA
Mineral oil, petroleum distillates, hydro-treated (mild) heavy naphthenic	CAS:64742-52- 5 EC Number:265- 155-0	0% To 4%	NDA	EU DSD/DPD: Annex I: Carc. 2; R45 EU CLP: Annex VI: Carc. 1B, H350 OSHA HCS 2012: Skin Irrit. 2	NDA
Carbon Black	CAS: 1333-86-4 ECNumber: 215- 609-9	1% To 4%	Skin-Rabbit LD50 >3 g/kg Ingestion/Oral-Rat LD50 >15400 mg/kg	EU DSD/DPD: None EU CLP: None OSHA HCS 2012: Carc. 2	NDA

(Contd. on page 4)

acc. to OSHA HCS

Article Number 109 • **Tradename:** Royal Edge Walkway Pad Revision Number 2

Page 4/17

Revision Date 01/23/2015

			(Contd. of	page 3)	
Zinc oxide	CAS: 1314-13-2 EC Number: 215- 222-5	0.5% To 2.5%	NDA	<i>EU DSD/DPD:</i> Annex I: N; R50-53 <i>EU CLP:</i> Annex VI: Aquatic Acute 1, H400; Aquatic Chronic 1, H410 <i>OSHA HCS 2012:</i> Eye Irrit. 2B	NDA
p-Benzoquinone, 2,3, 5,6-tetrachloro-	CAS: 118-75-2 EC Number: 204-274-4	0% To 1.5%	Ingestion/Oral-Rat LD50 • 4 g/kg	<i>EU DSD/DPD:</i> Annex I: Xi R36/38 N R50-53 <i>EU</i> <i>CLP:</i> Annex VI: Eye Irrit. 2, H319; Skin Irrit. 2, H315; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 <i>OSHA HCS 2012:</i> Eye Irrit. 2A; Skin Irrit. 2; STOT RE 3: Resp. Irrit. & Narc.; Acute Tox. 4 (Inhl)	NDA
TMDS	CAS: 137-26-8 EC Number: 205-286-2	0% To 1%	Ingestion/Oral-Rat LD50 • 560 mg/kg Inhalation-Rat LC50 500 mg/m ³ 4 Hour(s)	<i>EU DSD/DPD:</i> Annex I: Xn R20/22 - 48/22 Xi R36/38; R43 N R50-53 <i>EU CLP:</i> Annex VI: Acute Tox. 4, H332; Acute Tox. 4, H302; STOT RE 2, H373; Eye Irrit. 2, H319; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 <i>OSHA HCS 2012:</i> Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1A; Acute Tox. 4 (Oral); Acute Tox. 2 (Inhl)	NDA
MBTS	CAS: 120-78-5 EC Number: 204-424-9	0% To 1%	Ingestion/Oral-Rat LD50 >12 g/kg Skin-Rabbit LD50 >7940 mg/kg	EU DSD/DPD: Annex I: R31 R43 N; R50-53 EU CLP: Annex VI: Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 OSHA HCS 2012: Skin Sens. 1A	NDA

Refer to Section 11 for Toxicological Information.

Section 4. First-Aid Measures

• Inhalation	First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If signs/symptoms develop, move person to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.
• Skin	Remove material from skin with waterless hand cleaners followed by washing with soap and water. If signs/symptoms develop, get medical attention.
• Eye	First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If contact with material occurs flush eyes with water. If signs/ symptoms develop, get medical attention.
• Ingestion	First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If signs/symptoms develop, get medical attention.

Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

• Note to physician

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

(Contd. of page 5)

acc. to OSHA HCS

Article Number 109

• **Tradename:** Royal Edge Walkway Pad

Revision Number 2

Revision Date 01/23/2015

Section 5. Fire-Fighting Measures

Extinguishing media

- Suitable Extinguishing Media: Water, foam, dry chemical, carbon dioxide (CO2).
- Unsuitable Extinguishing Media: None known.

Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards: Material releases toxic and corrosive gases/vapors when burned.
- Hazardous Combustion Products: Nitrous oxides, sulfur oxides, carbon oxides.

Advice for firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Structural firefighters' protective clothing will only provide limited protection.

* Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

- **Personal Precautions** No special precautions expected to be necessary if material is used under ordinary conditions as recommended.
- Emergency Procedures No emergency procedures are expected to be necessary if material is used under ordinary conditions as as recommended. Use normal clean up procedures.
- Environmental precautions No special precautions necessary.

Methods and material for containment and cleaning up

- Containment/Clean-up Measures Pick up pieces and place in container or bag for disposal.
- Reference to other sections

Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7. Handling and Storage

Precautions for safe handling

• Handling

Do not handle at temperatures in excess of 130° F. Avoid prolonged or repeated contact with the skin. Use good safety and industrial hygiene practices. Product readily removed from the skin with waterless hand cleaners followed by washing with soap and water.

Conditions for safe storage, including any incompatibilities

• Storage

Store in a cool, dry place. Do not store at temperatures in excess of 130° F.

• Specific end uses

Refer to Section 1.2 - Relevant identified uses.

(Contd. on page 6)

acc. to OSHA HCS Revision Number 2

Article Number 109

• Tradename: Royal Edge Walkway Pad

Page 6/17

			Exposure Lim	its/Guidelines		
	Result	ACGIH	Belgium	Canada Alberta	Canada British Columbia	Canada Manitoba
Formaldehyde (50-00-0)	Ceilings	0.3 ppm Ceiling	Not Established	1 ppm Ceiling; 1.3 mg/m3 Ceiling	l ppm Ceiling	0.3 ppm Ceiling
	TWAs	Not Established	Not Established	2097"rro "VY C= "20,"o i 10 5"VY C	0.3 ppm TWA	Not established
TMDS *359/48/: +	TWAs	2027''o i lo 5''VY C'' *kpj crcdrg'hcevkqp'' cpf ''xcrqt+	2@7"o i lo 5"VY C" *cgt quqtlcpf "xcrqt = 2@27"rro "VY C" *cgt quqtlcpf "xcrqt +	3"o i lo 5"VY C "	3"o i lo 5"VY C	2@7"b i lo 5"VY C %pj crcdrg"htcevkqp cpf "xcrqt+
Talc *36: 29/; 8/8+	TWAs	2 mg/m3 TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)	2 mg/m3 TWA	2 mg/m3 TWA *tgurktcdrg particulate)"	2 mg/m3 TWA (particulate matter containing no Asbestos and <1% Crystalline silica, respirable particulate)	2 mg/m3 TWA (particulate matter containing no Asbestos and <1% Crystalline silica, respirable fraction)
3/Rt qr gpg. '4/ methyl-*337/33/9-	TWAs	472"rro 'VY C" *hwyf 'wpf gt " Dwyppgu "cmlhuqo gt u-	472'rro 'VY C='' 7:5'o i lo 5'VY C	Not Established	Not Established	472''r r o 'VY C *hwyf 'wpf gt Dwygpgu "cnihuqo gt i
ENB (16219-75-3)	Ceilings	5 ppm Ceiling	Not Established	5 ppm Ceiling; 25 mg/m	5 ppm ceiling	5 ppm Ceiling
Sulfur (7704-34-9)	TWAs	Not established	Not established	10 mg/m3 TWA	Not established	Not established
Zinc oxide (1314-13-2)	STELs	10 mg/m3 STEL (respirable fraction)	10 mg/m3 STEL (fume)	10 mg/m3 STEL (respirable)	10 mg/m3 STEL (respirable)	10 mg/m3 STEL (respirable fraction
	TWAs	2 mg/m3 TWA (respirable fraction)	0 mg/m3 TWA (dust); 5 mg/m3 TWA (fume)	2 mg/m3 TWA (respirable)	2 mg/m3 TWA (respirable)	2 mg/m3 TWA (respirable fraction
Carbon Black (1333-86-4)	TWAs	3 mg/m3 TWA (inhalable fraction)	3.5 mg/m3 TWA	3.5 mg/m3 TWA	3 mg/m3 TWA (inhalable)	3 mg/m3 TWA (inhalable fraction
		Ex	posure Limits/Gui	idelines Continued		
Formaldehyde	Result	Canada New Brunswick	Canada Nunavut	Canada Nova Scotia	Canada Northwest Territories	Canada Ontario
(50-00-0)	STELs	1.5 ppm STEL	Not established	Not established	Not established	1.0 ppm STEL
	TWAs	0.5 ppm TWA	Not established	Not established	Not established	Not established
	Ceilings	Not established	2 ppm Ceiling; 2.4 mg/m3 Ceiling	0.3 ppm Ceiling	2 ppm Ceiling; 2.4 mg/m3 Ceiling	1.5 ppm Ceiling
TMDS (137-26-8)	TWAs	1 mg/m3 TWA	5 mg/m3 TWA	0.05 mg/m3 TWA (inhalable fraction and vapor)	5 mg/m3 TWA	0.05 mg/m3 TWA (inhalable fractic and vapor, listed under Thiram)
	STELs	Not established	10 mg/m3 STEL	Not established	10 mg/m3 STEL	Not established

acc. to OSHA HCS Revision Number 2

Article Number 109

• **Tradename:** Royal Edge Walkway Pad

(Contd. of page 6) 2 mg/m3 TWA 3 mg/m3 TWA 2 mg/m3 TWA 3 mg/m3 TWA 2 mg/m3 TWA Talc TWAs (particulate matter (containing no (particulate matter (respirable (respirable mass); (14807-96-6) Asbestos and containing no mass); 6 mg/m3 containing no 6 mg/m3 TWA (total Asbestos and TWAAsbestos and <1% mass) <1% Crystalline *Crystalline silica*, silica, respirable) <1% Crystalline (total mass) respirable fraction) silica, respirable fraction) 250 ppm TWA (listed 250 ppm TWA 1-Propene, 2-Not established Not established Not established TWAs under Butenes, all (listed under methylisomers) (115-11-7) Butenes, all isomers) ENB 5 ppm Ceiling; 5 ppm Ceiling; 5 ppm Ceiling; Ceilings 5 ppm Ceiling 5 ppm Ceiling (16219-75-3) 25 mg/m3 Ceiling 25 mg/m3 Ceiling 25 mg/m3 Ceiling Zinc oxide 10 mg/m3 STEL STELs ·(1314-13-2) (fume) (fume) (respirable fraction) (fume) (respirable) 5 mg/m3 TWA 2 mg/m3 TWA 5 mg/m3 TWA 10 mg/m3 TWA 2 mg/m3 TWA TWAs (fume); 5 mg/m3 (particulate matter (fume); 5 mg/m3 (respirable fraction) (respirable) containing no TWA (dust, res-TWA (dust, Asbestos and pirable mass); 10 respirable mass); 10 mg/m3 TWA (total <1% Crystalline mg/m3 TWA (total silica, dust); 5 mg/ mass, dust) mass, dust) m3 TWA (fume) Carbon Black 3 mg/m3 TWA 3.5 mg/m3 TWA TWAs 3.5 mg/m3 TWA 3.5 mg/m3 TWA 3.5 mg/m3 TWA (inhalable fraction) (1333-86-4) STELS Not established 7 mg/m3 STEL Not established 7 mg/m3 STEL Not established **Exposure Limits/Guidelines Continued** Canada Result Canada Quebec Canada Yukon NIOSH **OSHA** Saskatchewan 2 ppm STEL (see 29 CFR 1910.1048) Not established STELs Not established Not established Not established Formaldehyde 2 ppm Ceiling; 3 Not established 2 ppm Ceiling; 3 Ceilings 0.1 ppm Ceiling (15 min) Not established mg/m3 Ceiling mg/m3 Ceiling (50-00-0)0.75 ppm TWA TWAs Not established Not established 0.016 ppm TWA Not established 5 mg/m3 TWAEV TWAs 1 mg/m3 TWA 5 mg/m3 TWA 5 mg/m3 TWA 5 mg/m3 TWA TMDS STELs Not established Not established 10 mg/m3 STEL Not established Not established (137-26-8) Ceiling Not established Not established Not established Not established Not established MAKs Not established Not established Not established Not established Not established 2 mg/m3 TWA (containing TWAs 2 mg/m3 TWA Talc 3 mg/m3 TWAEV 20 mppcf TWA Not established no Ăsbestos and <1% (respirable fraction) (14807-96-6) (respirable dust) Quartz, respirable dust) Not established Not established Ceilings Not established Not established Not established Isoprene (78-79-5) Not established Not established MAKs Not established Not established Not established 5 ppm Ceiling; 5 ppm Ceiling; Not established 5 ppm Ceiling; Not established ENB Ceilings 25 mg/m3 Ceiling 25 mg/m3 Ceiling 25 mg/m3 Ceiling (16219-75-3)10 mg/m3 TWAEV 5 mg/m TWA TWAs 2 mg/m3 TWA 5 mg/m3 TWA 5 mg/m3TWA dust (fume); 15 mg/m (containing no (dust and fume, (fume); 30 mppcf and fume Asbestos and <1% TWA total dust) respirable fraction) TWA (dust); 10 Zinc oxide 5 mg/m TWA Crvstalline silica, mg/m3 TWA (1314-13-2) total dust); 5 mg/m3 (respirable (dust) fraction) TWAEV (fume)

Page 7/17

Revision Date 01/23/2015

(Contd. on page 8)

acc. to OSHA HCS

Article Number 109

Revision Number 2

Revision Date 01/23/2015

• Tradename: Royal Edge Walkway Pad

			(Contd. of	page 7)		
Zinc oxide (1314-13-2)	STELs	10 mg/m3 STEV (fume)	Not established	10 mg/m3 STEL (fume); 20 mg/ m3 STEL (dust)	10 mg/m3 STEL (fume)	Not established
	Ceilings	Not established	Not established	Not established	15 mg/m Ceiling dust)	Not established
	MAKs	Not established	Not established	Not established	Not established	l mg/m3 TWA MAK (fume, respirable fraction)
Carbon Black	TWAs	3.5 mg/m3 TWAEV	3.5 mg/m3 TWA	3.5 mg/m3 TWA	3.5 mg/m3 TWA; 0.1 mg/m3 TWA (Carbon	3.5 mg/m3 TWA
(1333-86-4)		Not established	Not established	7 mg/m3 STEL	black in presence of Polycyclic aromatic hydrocarbons, as PAH)	

Exposure controls

Engineering Measures/Controls Under normal conditions of use, special ventilation is not required. *Personal Protective Equipment*

• Respiratory

No respiratory protection is required under normal conditions of use. Under normal conditions of use, eye protection is not required.

Eye/Face Under normal conditions of use,
 Skin/Body Wear appropriate gloves.
 Follow best practice for site cleanup and disposal of waste.

Environmental Exposure Controls

Key to abbreviations

- ACGIH = American Conference of Governmental Industrial Hygiene
- NIOSH = National Institute of Occupational Safety and Health
- OSHA = Occupational Safety and Health Administration
- STEL = Short Term Exposure Limits are based on 15-minute exposures

STEV = Short Term Exposure Value TWAEV = Time-Weighted Average Exposure Value Time-Weighted Averages are based on 8h/day, 40h/ week TWA exposures

* Section 9. Physical and Chemical Properties

Information on Physical and Chemical Properties

	Materi	ial Description	
Physical Form	Solid	Appearance/Description	Black solid (EPDM) laminated to tape. No odor.
Color	Black	Odor	None
Odor Threshold	None		
	Gene	eral Properties	
Boiling Point	Not relevant	Melting Point	Data lacking
Decomposition Temperature	Data lacking	рН	Not relevant
Specific Gravity/Relative Density	0.97 Water=1	Water Solubility	Negligible < 0.1 %
Viscosity	Not relevant	Explosive Properties	Not relevant.
Oxidizing Properties	Not relevant.		
		Volatility	
Vapor Pressure	Not relevant	Vapor Density	Not relevant
Evaporation Rate	Not relevant	Volatiles (Vol.)	0.7%

Page 8/17

acc. to OSHA HCS Revision Number 2

Article Number 109

• Tradename: Royal Edge Walkway Pad

Page 9/17

	(Cor	ntd. of page 8)		
	Fla	ımmability		
Flash Point	> 200 C(> 392 F)	UEL	Not relevant	
LEL	Not relevant	Autoignition	Not relevant	
Flammability (solid, gas)	Not flammable.			
	Env	vironmental		
Octanol/Water Partition coefficient	Data lacking			
Other Information No additional physical and cher	0			

* Section 10. Stability and Reactivity

Reactivity

- *Chemical stability No dangerous reaction known under conditions of normal use.*
- **Possibility of hazardous reactions** Stable under normal temperatures and pressures. Hazardous polymerization will not occur.
- Conditions to avoid Temperatures in excess of 130° F.
- Incompatible materials No data available.
- *Hazardous decomposition products Thermal decomposition could produce CO, CO2, and Oxides of Nitrogen.*

* Section 11. Toxicological Information

Component Name	CAS	Data
Phenol, p-(1,1,3,3-tetramethylbutyl)- (2% TO 4%)	140-66-9	Acute Toxicity: orl-rat LD50:4600 mg/kg; skn-rbt LD50:1880 mg/kg; Irritation: eye-rbt 50 ug/24H SEV; skn-rbt 20 mg/24H MOD; Reproductive: orl-mus TDL0:2.4 mg/kg (10-21D preg/12D post); orl-mus TDL0:14000 ng/kg (11-17D preg); orl-rat TDL0:250.4 mg/kg (0-8D preg)
Mineral oil, petroleum distillates, hydrotreated (mild) heavy naphthenic (0% TO 4%)	64742-52-5	Irritation: skn-rbt 500 mg SEV
Carbon Black (1% TO 4%)	1333-86-4	Acute Toxicity: orl-rat LD50:>15400 mg/kg; skn-rbt LD50:>3 gm/kg; Tumorigen/Carcinogen: ihl-rat TCLo:11600 ug/m3/18H/2Y-1
Talc (0% TO 6%)	14807-96-6	<i>Irritation:</i> skn-hmn 300 ug/3D-I MLD; <i>Tumorigen/</i> <i>Carcinogen:</i> ihl-rat TC :11 mg/m3/1Y-1
Zinc oxide (0.5% TO 2.5%)	1314-13-2	<i>Irritation:</i> eye-rbt 500 mg/24H MLD; skn-rbt 500 mg/24H MLD; <i>Reproductive:</i> orl-rat TDLo:6846 mg/kg (1-22D preg)
MBTS (0% TO 1%)	120-78-5	Acute Toxicity: orl-rat LD50:>12 gm/kg; skn-rbt LD50:>7940 mg/kg
<i>p-Benzoquinone</i> , <i>2,3,5,6-tetrachloro- (0% TO 1.5%)</i>	118-75-2	Acute Toxicity: orl-rat LD50:4 gm/kg; ihl-rat LC50:2485 mg/m3/4H

(Contd. on page 10)

acc. to OSHA HCS

Revision Number 2

Page 10/17

Revision Date 01/23/2015

Component Name	CAS	Data		
TMDS (0% TO 1%)	137-26-8	Acute Toxicity: Ingestion/Oral-Rat LD50 • 560 mg/kg; ihl-rat LC50:500 mg/m3/4H; Irritation: eye-rbt 100 mg/24H MOD; Reproductive: orl-rat TDLo:300 mg/kg (15D preg); Tumorigen/Carcinogen: orl-rat TDLo:108 mg/kg/1Y-C		
GHS Properties		Classification		
Acute toxicity		<i>EU/CLP</i> • Classification criteria not met <i>OSHA HCS 2012</i> • Classification criteria not met		
Aspiration Hazard		<i>EU/CLP</i> • Classification criteria not met <i>OSHA HCS 2012</i> • Classification criteria not met		
Carcinogenicity		<i>EU/CLP</i> • Classification criteria not met <i>OSHA HCS 2012</i> • Classification criteria not met		
Germ Cell Mutagenicity		<i>EU/CLP</i> • Classification criteria not met <i>OSHA HCS 2012</i> • Classification criteria not met		
Skin corrosion/Irritation		EU/CLP • Skin Irritation 2 OSHA HCS 2012 • Skin Irritation 2		
Skin sensitization		EU/CLP • Skin Sensitizer 1 OSHA HCS 2012 • Skin Sensitizer 1A		
STOT-RE		EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met		
STOT-SE		EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met		
Toxicity for Reproduction		EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met		
Respiratory sensitization		EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met		
Serious eye damage/Irritation		EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met		

Potential Health Effects Inhalation

• Acute (Immediate)	Under normal conditions of use, no health effects are expected.				
• Chronic (Delayed)	Under normal conditions of use, no health effects are expected.				
Skin					
• Acute (Immediate)	Causes skin irritation. May cause an allergic skin reaction. Under				
• Chronic (Delayed)	normal conditions of use, no health effects are expected.				
Eve					
• Acute (Immediate)	Direct contact with tape may cause mechanical irritation.				
• Chronic (Delayed)	Under normal conditions of use, no health effects are expected.				
Ingestion					
• Acute (Immediate)	Under normal conditions of use, no health effects are expected.				
• Chronic (Delaved)	Under normal conditions of use, no health effects are expected.				

Carcinogenic Effects

Article Number 109

• Tradename: Royal Edge Walkway Pad

Although this material does contain several components that are either carcinogens or potential carcinogens the material as a whole is not classified as a carcinogen according to regulatory guidelines. The carbon black is encapsulated within the matrix of this material and no exposure is expected. The isoprene and formaldehyde components are both in this material at low enough concentrations that this material is not classified as a carcinogen per agency guidelines.

(Contd. on page 11)

acc. to OSHA HCS Revision Number 2

Article Number 109

• **Tradename:** Royal Edge Walkway Pad

Page 11/17

Revision Date 01/23/2015

(Contd. of page 10)					
Carcinogenic Effects					
	CAS	OSHA	IARC	NTP	
Formaldehyde	50-00-0	Specifically Regulated Carcinogen	Group 1-Carcinogenic	Known Human Carcinogen	
Isoprene	78-79-5	Not Listed	Group 2B-Possible Carcinogen	Reasonably Anticipated to be Human Carcinogen	
Carbon Black	1333-86-4	Not Listed	Group 2B-Possible Carcinogen	Not Listed	

Key to abbreviations

LC = Lethal Concentration

LD = Lethal Dose

MLD = Mild MOD = Moderate

SEV = Severe

TC = Toxic Concentration

TD = Toxic Dose

Section 12. Ecological Information

Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability: No further relevant information available.

Behavior in environmental systems

- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.

Ecotoxical effects

• *Remark:* No further relevent information available.

Additional ecological information

General notes: At present there are no ecotoxicological assessments.

Results of PBT and vPvB

- assessment PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

Section 13. Disposal Considerations

Waste treatment methods

- Product waste handling
- Recommendation: Dispose of waste product and/or container according to local, regional, state, and national/
- international regulations.

Packaging waste handling

• *Recommendation:* Dispose of packaging or container according to local, regional, state, and national/ international regulations.

* Section 14. Transport Information					
	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
	I.	(0	Contd. on page 12)	1	

acc. to OSHA HCS Revision Number 2

Article Number 109

• Tradename: Royal Edge Walkway Pad

Page 12/17

Revision Date 01/23/2015

(Contd. of page 11)						
TDG	NDA	Not Regulated	NDA	NDA	NDA	
IMO/IMDG	NDA	Not Regulated	NDA	NDA	NDA	
ADN	NDA	Not Regulated	NDA	NDA	NDA	
ADR/RID	NDA	Not Regulated	NDA	NDA	NDA	
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA	

• Special precautions for user None known.

• Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not Relevent.

* Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixtureSARA Hazard ClassificationsAcute

	State	e Right To I	Know		
Component	CAS		MA	NJ	PA
1-Propene, 2-methyl-	115-11-7		Yes	Yes	Yes
ENB	16219-75	-3	Yes	Yes	Yes
MBTS	120-78-5		No	No	No
Calcium oxide	1305-78-8	8	Yes	Yes	Yes
Carbon Black	1333-86-4	4	Yes	Yes	Yes
TMDS	137-26-8		Yes	Yes	Yes
Ethylene propylene diene rubber	25038-36	-2	No	No	No
Formaldehyde	50-00-0		Yes	Yes	Yes
Mineral oil, petroleum distillates, hydrotreated (mild) heavy naphthenic	64742-52	-5	No	No	No
Isobutylene-Isoprene polymer	9010-85-9)	No	No	No
Isoprene	78-79-5		Yes	Yes	Yes
p-Benzoquinone, 2,3,5,6-tetrachloro-	118-75-2		No	No	No
Phenol, 4-methyl	68610-51	-5	No	No	No
Phenol, p-(1,1,3,3-tetramethylbutyl)-	140-66-9		No	No	No
Polybutene	9003-29-0	5	No	No	No
Sulfur	7704-34-9	9	Yes	Yes	Yes
Talc	14807-96	-6	Yes	Yes	Yes
Zinc oxide	1314-13-2	2	Yes	Yes	Yes
		Inventory			
Component		CAS	Canada DSL	Canada NDSL	
I-Propene, 2-methyl-	1	15-11-7	Yes	No	
ENB	1	6219-75-3	No	Yes	
MBTS	1	20-78-5	Yes	No	
Calcium oxide	1	305-78-8	Yes	No	
	(0	Contd. on page 1	3)		

acc. to OSHA HCS

Revision Number 2

Article Number 109

• Tradename: Royal Edge Walkway Pad

Page 13/17

Revision Date 01/23/2015

	Inventory					
Carbon Black	1333-86-4	Yes	No			
TMDS	137-26-8	Yes	No			
Ethylene propylene diene rubber	25038-36-2	Yes	No			
Formaldehyde	50-00-0	Yes	No			
Mineral oil, petroleum distillates, hydrotreated (mild) heavy naphthenic	64742-52-5	Yes	No			
Isobutylene-Isoprene polymer	9010-85-9	Yes	No			
Isoprene	78-79-5	Yes	No			
p-Benzoquinone, 2,3,5,6-tetrachloro- 118-75-2		Yes	No			
Phenol, 4-methyl	68610-51-5	Yes	No			
Phenol, p-(1,1,3,3-tetramethylbutyl)- 140-66-9		Yes	No			
Polybutene	9003-29-6	Yes	No			
Sulfur	7704-34-9	Yes	No			
Talc	14807-96-6	Yes	No			
Zinc oxide	1314-13-2	Yes	No			
• Phenol, 4-methyl • Isobutylene-Isoprene polymer	68610-51-5 9010-85-9		Not Listed			
Isoprene Isoprene	78-79-5		Not Listed Not Listed			
• 1-Propene, 2-methyl-						
• 1-Propene, 2-meinyi-	115-11-7		Not Listed			
HBTS	<u>115-11-7</u> 120-78-5					
			Not Listed Not Listed Not Listed			
MBTS Ethylene propylene diene rubber TMDS	120-78-5		Not Listed Not Listed Not Listed Not Listed			
 MBTS Ethylene propylene diene rubber TMDS Formaldehyde 	120-78-5 25038-36-2 137-26-8 50-00-0		Not Listed Not Listed Not Listed Not Listed Not Listed A, B1, D1A, D2A, D2B; B3, 1A, D2A, D2B, E (regulated under Formol)			
MBTS Ethylene propylene diene rubber TMDS	120-78-5 25038-36-2 137-26-8		Not Listed Not Listed Not Listed Not Listed Not Listed A, B1, D1A, D2A, D2B; B3, 1A, D2A, D2B, E (regulated under Formol) E			
 MBTS Ethylene propylene diene rubber TMDS Formaldehyde 	120-78-5 25038-36-2 137-26-8 50-00-0		Not Listed Not Listed Not Listed Not Listed Not Listed A, B1, D1A, D2A, D2B; B3, 1A, D2A, D2B, E (regulated under Formol)			
MBTS Ethylene propylene diene rubber TMDS Formaldehyde Calcium oxide	120-78-5 25038-36-2 137-26-8 50-00-0 1305-78-8		Not Listed Not Listed Not Listed Not Listed Not Listed A, B1, D1A, D2A, D2B; B3, 1A, D2A, D2B, E (regulated under Formol) E D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues -Carbon Black, non- respirable on Health Canada's WHMIS Division website.) D2A Uncontrolled product according to WHMIS classification criteria D2A			
MBTS Ethylene propylene diene rubber TMDS Formaldehyde Calcium oxide Carbon Black	120-78-5 25038-36-2 137-26-8 50-00-0 1305-78-8 1333-86-4		Not Listed Not Listed Not Listed Not Listed Not Listed Not Listed A, B1, D1A, D2A, D2B; B3, 1A, D2A, D2B, E (regulated under Formol) E D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues -Carbon Black, non- respirable on Health Canada's WHMIS Division website.) D2A Uncontrolled product according to WHMIS classification criteria D2A Uncontrolled product according			
MBTS Ethylene propylene diene rubber TMDS Formaldehyde Calcium oxide Carbon Black Talc	120-78-5 25038-36-2 137-26-8 50-00-0 1305-78-8 1333-86-4 14807-96-6		Not Listed Not Listed Not Listed Not Listed Not Listed A, B1, D1A, D2A, D2B; B3, 1A, D2A, D2B, E (regulated under Formol) E D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues -Carbon Black, non- respirable on Health Canada's WHMIS Division website.) D2A Uncontrolled product according to WHMIS classification criteria D2A			

acc. to OSHA HCS

Revision Number 2

Page 14/17

• Trade name: Royal Edge Walkway Pad

Article Number 109

Revision Date 01/23/2015

	(Contd. of page 13)	
Sulfur 770)4-34-9	<i>B4</i>
ENB 1621	19-75-3	<i>B2, D1A, D2B</i>
p-Benzoquinone, 2,3,5,6-tetrachloro-	18-75-2	Not Listed
Phenol, p-(1,1,3,3-tetramethylbutyl)-	10-66-9	Uncontrolled product according to WHMIS classification criteria
Mineral oil, petroleum distillates, hydrotreated (mild) heavy naphthenic 6474	12-52-5	Not Listed
Canada WHMIS - Ingredient Disclosure L	ist	
Phenol, 4-methyl	68610-51-5	Not Listed
Isobutylene-Isoprene polymer	9010-85-9	Not Listed
Isoprene	7 8- 7 9- 5	1 %
1-Propene, 2-methyl-	115-11-7	Not Listed
MBTS	120-78-5	1 %
Ethylene propylene diene rubber	25038-36-2	Not Listed
TMDS	137-26-8	1 %
Formaldehyde	50-00-0	0.1 %
Calcium oxide	1305-78-8	1 %
Carbon Black	1333-86-4	1 %
Talc	14807-96-6	Not Listed
Zinc oxide	1314-13-2	1 %
Zinc oxide as Zinc compounds		Not Listed
Polybutene	9003-29-6	Not Listed
Sulfur	7704-34-9	Not Listed
ENB	16219-75-3	1%
p-Benzoquinone, 2,3,5,6-tetrachloro-	118-75-2	Not Listed
Phenol, p-(1,1,3,3-tetramethylbutyl)-	140-66-9	Not Listed
Mineral oil, petroleum distillates, hydrotreated (mild) heavy naphthenic	64742-52-5	Not Listed
Environment Canada - CEPA - Priority Substanc	aas List	
Phenol, 4-methyl	68610-51-5	Not Listed
Isobutylene-Isoprene polymer	9010-85-9	Not Listed
Isoprene	78-79-5	Not Listed
<i>I-Propene, 2-methyl-</i>	115-11-7	Not Listed
MBTS	120-78-5	Not Listed
Ethylene propylene diene rubber	25038-36-2	Not Listed
TMDS	137-26-8	Not Listed
Formaldehyde	50-00-0	Priortiy Substance List 2 (substance considered toxic)
Calcium oxide	1305-78-8	Not Listed
Carbon Black	1333-86-4	Not Listed
Talc	14807-96-6	Not Listed
Zinc oxide	1314-13-2	Not Listed

acc. to OSHA HCS

Revision Number 2

Article Number 109

• **Tradename:** Royal Edge Walkway Pad

Page 15/17

(Contd. of page 14)		
Polybutene	9003-29-6	Not Listed
Sulfur	7704-34-9	Not Listed
ENB	16219-75-3	Not Listed
p-Benzoquinone, 2,3,5,6-tetrachloro-	118-75-2	Not Listed
Phenol, p-(1,1,3,3-tetramethylbutyl)-	140-66-9	Not Listed
Mineral oil, petroleum distillates, hydrotreated (mild) heavy naphthenic	64742-52-5	Not Listed
United States Labor U.S OSHA - Process Safety Management - Highly Hazardous Chemicals		
Phenol, 4-methyl	68610-51-5	Not Listed
Isobutylene-Isoprene polymer	9010-85-9	Not Listed
Isoprene	78-79-5	Not Listed
P 1-Propene, 2-methyl-	115-11-7	Not Listed
• MBTS	120-78-5	Not Listed
• Ethylene propylene diene rubber	25038-36-2	Not Listed
• TMDS	137-26-8	Not Listed
• Formaldehyde	50-00-0	1000 lb TQ
Calcium oxide	1305-78-8	Not Listed
• Carbon Black	1333-86-4	Not Listed
Talc	14807-96-6	Not Listed
Zine oxide	1314-13-2	Not Listed
Zinc oxide as Zinc compounds		Not Listed
Polybutene	9003-29-6	Not Listed
Sulfur	7704-34-9	Not Listed
• ENB	16219-75-3	Not Listed
p-Benzoquinone, 2,3,5,6-tetrachloro-	118-75-2	Not Listed
Phenol, p-(1,1,3,3-tetramethylbutyl)-	140-66-9	Not Listed
Mineral oil, petroleum distillates, hydrotreated (mild) heavy naphthenic	64742-52-5	Not Listed
S OSHA - Specifically Regulated Chemicals		
Phenol, 4-methyl	68610-51-5	Not Listed
Isobutylene-Isoprene polymer	9010-85-9	Not Listed
Isoprene	78-79-5	Not Listed
1-Propene, 2-methyl-	115-11-7	Not Listed
MBTS	120-78-5	Not Listed
Ethylene propylene diene rubber	25038-36-2	Not Listed
TMDS	137-26-8	Not Listed
• Formaldehyde	50-00-0	2 ppm STEL (Irritant and potential cancer hazard, See 29 CFR 1910.1048, 15 min); 0.5 ppm Action Level ; 0.75 ppm TWA
Calcium oxide	1305-78-8	Not Listed
Carbon Black	1333-86-4	Not Listed
• Talc	14807-96-6	Not Listed

(Contd. on page 16)

acc. to OSHA HCS

Revision Number 2

Article Number 109

• Tradename: Royal Edge Walkway Pad

Revision Date 01/23/2015

Page 16/17

1314-13-2 9003-29-6 7704-34-9 16219-75-3 118-75-2 140-66-9 64742-52-5	Not Listed Not Listed Not Listed Not Listed Not Listed Not Listed Not Listed
7704-34-9 16219-75-3 118-75-2 140-66-9	NotListedNotListedNotListedNotListedNotListed
7704-34-9 16219-75-3 118-75-2 140-66-9	Not Listed Not Listed Not Listed Not Listed
16219-75-3 118-75-2 140-66-9	Not Listed Not Listed Not Listed
<u>118-75-2</u> 140-66-9	Not Listed Not Listed
140-66-9	Not Listed
64742-52-5	Not Listed
68610-51-5	Not Listed
9010-85-9	Not Listed
78-79-5	Not Listed
115-11-7	Not Listed
120-78-5	Not Listed
25038-36-2	Not Listed
137-26-8	Not Listed
-	
	9010-85-9 78-79-5 115-11-7 120-78-5 25038-36-2

U.S. - California - Proposition 65 - Developmental Toxicity: Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MAD): Not Listed

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL): Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female: Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male: Not Listed

United States - Pennsylvania

Labor

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List: Not Listed

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances: Not Listed

Chemical Safety Assessment: Chemical Safety Assessment is not required.

Section 16. Other Information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Roofing Products International, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Roofing Products International, Inc. or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- Department issuing SDS: Technical Services Department.
- Creation Date: 08/12/2000
- Date of preparation: 01/23/2015
- Last revision: Format update
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 17)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization

acc. to OSHA HCS Revision Number 2

Article Number 109

• Trade name: Royal Edge Walkway Pad

0

Revision Date 01/23/2015

(Contd. of page 16)					
IMDG: International Maritime Code for Dangerous Goods					
DOT: US Department of Transportation					
IATA: International Air Transport Association					
ACGIH: American Conference of Governmental Industrial Hygienists					
EINECS: European Inventory of Existing Commercial Chemical Substances					
ELINCS: European List of Notified Chemical Substances					
CAS: Chemical Abstracts Service (division of the American Chemical Society)					
NFPA: National Fire Protection Association (USA)					
HMIS: Hazardous Materials Identification System (USA)					
LC50: Lethal concentration, 50 percent					
LD50: Lethal dose, 50 percent					
Flam. Liq. 2: Flammable liquids, Hazard Category 2					
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2					
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A					
Repr. 2: Reproductive toxicity, Hazard Category 2					
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3					
STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2					
End of SDS					

Page 17/17